

Push and Pull Door Furniture

Push and Pull Door Furniture

184 Offset Pull

Made from brass and designed to compliment 1800 and 2800 Series Brass Plate Furniture, the 184 Offset Pull provides a fixed pull without impacting the cylinder/turn functionality or the design aesthetic of a plate furniture installation.

Application

Designed for use with the Lockwood 3570 Series Mortice Locks and Latches, as well as Lockwood 1800 or 2800 Series Brass Plate Furniture.

Features and Specifications

Dimensions

Length:	163.5mm
Diameter:	16mm
Projection:	70mm
Screw Centres:	147.5mm
Finger Clearance:	54mm
Offset:	42mm

Fixing

The 184 Pull is designed with 147.5mm screw centres to enable it to be fixed through a standard visible fix brass plate (1900 or 2900).

Plates are to be ordered separately to the 184 and care should be taken to ensure that a visible fix plate is specified for both sides of the door.

Finishes

Standard

Satin Chrome Brushed	SC
----------------------	----

Non Standard

Chrome Plate	CP
Polished Brass	PB
Polyester Powdercoat	PC

Other finishes on application.



Push and Pull Door Furniture

194 Series Round End Push and Pull Plates

Application

Brass Push and Pull Handle Door Furniture for public, commercial and industrial buildings.

Features and Specifications

Made from brass and supplied completely assembled with handles if applicable. "PUSH" or "PULL" plates are engraved with 16mm high letters.

Dimensions

255 x 52 x 10mm

Fixing

Plates are designed to fit back to back. The external plate is supplied with concealed fixings and therefore must be used with an internal plate which has visible fixings.

Finishes

The 194 Series is only available in the following finishes:

Chrome Plate	CP
Polished Brass	PB
Satin Chrome Brushed	SC




Plate Options for 194 Pull Plate with '07' Pulls






Plate Options for 194 Pull Plate with '08' Pulls



Plate Options for 194 Push Plate



Plates and Functions Legend

Cylinder Hole	
---------------	---

Push and Pull Door Furniture

194 Series Ordering Procedure

Ordering Procedure

Sample part number 19424N/07SC is made up of several sections. Choose your product by selecting an option from each section.

For example:

Plate Type	Plate Function	Engraving	Pull Handle	Finish
194	24	N	07	SC

Plate Type	Engraving	Finish
Exterior Round End Push and Pull Plate (Concealed Fixing) 194	No Option N	Chrome Plate CP
	Push Text Outlined Infill F	Satin Chrome Brushed SC
	Pull Text Outlined Infill G	Polished Brass PB
Interior Round End Push and Pull Plate (Visible Fixing) 195		

Plate Function	Pull Handle
Plain Plate 00	None
Pull Handle Only 01	16mm diameter 152mm centre 07
Pull Handle and Cylinder 02	16mm diameter 203mm centre 08

Push and Pull Door Furniture

218/219 Series 10mm Radius Corner

Push and Pull Plates

The 218 Series Door Furniture is 250 x 50 x 2mm thick stainless steel or brass with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible fixed plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with 3570 Series Mortice Locks and on Push and Pull doors.

Features and Specifications

Dimensions

250 x 50 x 2mm.

Materials

Stainless steel or brass.

Door Thickness

35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

Engraving

Options are available as indicated on the right.

Finishes

Standard

Satin Stainless Steel SS

Non Standard

Polished Stainless Steel PS
 Powdercoat PC
 Polished Brass PB

Function/Handle Selection


Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

Function	Description	No Engraving	With Engraving
24	Pull Handle Only	203mm	152mm
25	Pull Handle and Cylinder	108mm	108mm
26	Pull Handle and Emergency Turn	108mm	108mm
27	Pull Handle and Turn Knob	108mm	108mm
28	Pull Handle and Privacy Indicator Emergency Turn	108mm	108mm
29	Pull Handle and Privacy Indicator Turn Knob	108mm	108mm
30	Pull Handle and Dual Cylinder	x	x
42	Pull Handle and Disabled Turn	108mm	x
43	Pull Handle and Privacy Indicator Disabled Turn	108mm	x
44	Pull Handle Only – Offset from Bottom	108mm	x

Note: x indicates this function is not available in this configuration.



Plates



Legend



D Handle Selections

Brass 16mm Handle	05	07	09
Centres	108mm	152mm	203mm

Push and Pull Door Furniture

216/217 Series 10mm Radius Corner

Push and Pull Plates

The 216 Series Door Furniture is 300 x 65 x 2mm thick stainless steel or brass plate with 10mm radius corners. Concealed fixed plates have studs with internal threads fixed in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with 3570 Series Mortice Locks and on Push and Pull doors.

Features and Specifications

Dimensions

300 x 65 x 2mm.

Materials

Stainless steel or brass.

Door Thickness

35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Satin Stainless Steel SS

Non Standard

Polished Stainless Steel PS
Powdercoat PC
Polished Brass PB

Function/Handle Selection


Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

Function	Description	No Engraving	With Engraving
24	Pull Handle Only	250mm	203mm
25	Pull Handle and Cylinder	203mm	152mm
26	Pull Handle and Emergency Turn	203mm	152mm
27	Pull Handle and Turn Knob	203mm	152mm
28	Pull Handle and Privacy Indicator Emergency Turn	203mm	152mm
29	Pull Handle and Privacy Indicator Turn Knob	203mm	152mm
30	Pull Handle and Dual Cylinder	x	x
42	Pull Handle and Disabled Turn	152mm	108mm
43	Pull Handle and Privacy Indicator Disabled Turn	152mm	108mm
44	Pull Handle Only – Offset from Bottom	108mm, 152mm, 203mm	x

Note: x indicates this function is not available in this configuration.



Plates



Legend

Cylinder Hole		Slotted Button		LED	
Turn-Snib		Disabled		Indicating Slotted Button	

D Handle Selections

Brass 16mm Handle	05	07	09	10
Centres	108mm	152mm	203mm	250mm

Push and Pull Door Furniture

214/215 Series 10mm Radius Corner

Push and Pull Plates

The 214 Series Door Furniture is 300 x 100 x 2mm thick stainless steel or brass plates with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with 3570 Series Mortice Locks.

Features and Specifications

Dimensions

300 x 100 x 2mm.

Materials

Stainless steel or brass.

Door Thickness

35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Satin Stainless Steel SS

Non Standard

Polished Stainless Steel PS
 Powdercoat PC
 Polished Brass PB

Function/Handle Selection


Certain functions require certain handles to be used. The following table outlines which length handles (screw centre distance shown) should be used for a given function.

Function	Description	No Engraving	With Engraving
24	Pull Handle Only	250mm	203mm
25	Pull Handle and Cylinder	203mm	152mm
26	Pull Handle and Emergency Turn	203mm	152mm
27	Pull Handle and Turn Knob	203mm	152mm
28	Pull Handle and Privacy Indicator Emergency Turn	203mm	152mm
29	Pull Handle and Privacy Indicator Turn Knob	203mm	152mm
30	Pull Handle and Dual Cylinder	x	x
42	Pull Handle and Disabled Turn	152mm	108mm
43	Pull Handle and Privacy Indicator Disabled Turn	152mm	108mm
44	Pull Handle Only – Offset from Bottom	108mm, 152mm, 203mm	x

Note: x indicates this function is not available in this configuration.



Plates



Legend

Cylinder Hole		Slotted Button		LED	
Turn-Snib		Disabled		Indicating Slotted Button	

D Handle Selections

Brass 16mm Handle	05	07	09	10
Centres	108mm	152mm	203mm	250mm

Push and Pull Door Furniture

206/207 Series Push and Pull Plates

The 206/207 Series Door Furniture are 2mm thick stainless steel plates with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with 3570 Series Mortice Locks.

Features and Specifications

Dimensions

250 x 200 x 2mm.

Materials

Stainless steel.

Door Thickness

35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Satin Stainless Steel SS


Non Standard

Powdercoat PC

Polished Stainless Steel PS




Plates



Legend

Cylinder Hole		Slotted Button		LED	
Turn-Snib		Disabled		Indicating Slotted Button	

D Handle Selections



Stainless Steel 19mm	18
Brass or Stainless Steel 16mm	08
Centres	203mm

Push and Pull Door Furniture

208/209 Series Push and Pull Plates

The 208/209 Series Door Furniture are 2mm thick stainless steel or brass plates with 10mm radius corners. Concealed fixed plates have studs with internal threads located in each corner, visible plates have corresponding countersunk holes and are fixed back to back through the door.

Application

Designed for use with 3570 Series Mortice Locks.

Features and Specifications

Dimensions

324 x 162 x 2mm.

Materials

Stainless steel.

Door Thickness

35 to 45mm standard. For doors 45 to 55mm thick, specify long fixing screws SP2000-208.

Finishes

Standard

Satin Stainless Steel SS


Non Standard

Powdercoat PC

Polished Stainless Steel PS




Plates



Legend

Cylinder Hole		Slotted Button		LED	
Turn-Snib		Disabled		Indicating Slotted Button	

D Handle Selections



Stainless Steel 19mm	19
Brass or Stainless Steel 16mm	10
Centres	250mm

Push and Pull Door Furniture

2000 Series Ordering Procedure

Ordering Procedure

Sample part number 21825NA/07LSS is made up of several sections. Choose your product by selecting an option from each section.

For example:

2000 Series

Plate Type	Plate Function	Engraving	Cylinder Shape	Handle	Handing	Finish
218	25	N	A	07	–	SS

Plate Type	Engraving	Lever/ Knob Type	Finish
Exterior Plate (300 x 100) – Radius Corners 214	A – G Outlined Infill R – X Full Infill	Brass Pull Handles 01 02 03 04 05 06 07 08 09 10	Stainless Steel Finishes Satin Stainless Steel SS Polished Stainless Steel PS Powdercoat PC
Interior Plate (300 x 100) – Radius Corners 215	Male Symbol A R Male Text B S Female Symbol C T Female Text D U Disabled Symbol E V Push Text F W Pull Text G X Unisex Symbol H Y No Option N Miscellaneous Text* P Corporate Engraving** Q	Stainless Steel Pull Handles 05 09 10	Brass Finishes Polished Brass PB
Exterior Plate (300 x 65) – Radius Corners 216		Handing Left Handed L Right Handed R	
Interior Plate (300 x 65) – Radius Corners 217			
Exterior Plate (250 x 50) – Radius Corners 218			
Interior Plate (250 x 50) – Radius Corners 219			

Plate Function	Cylinder Shape
Cylinder Only 00	Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders A
Emergency Turn Only 02	Guarded Oval Cylinder – 32mm (H) x 18mm (W) Lockwood 570 Cylinders B
Turn Knob Only 06	No Cylinder Function N
Plain Plate 07	
Dual Cylinder 10	
Privacy Indicator Emergency Turn Only 13	
Privacy Indicator Turn Knob Only 15	
Cylinder and LED 23	
Pull Handle Only 24	
Pull Handle and Cylinder 25	
Pull Handle and Emergency Turn 26	
Pull Handle and Turn Knob 27	
Pull Handle and Privacy Indicator Emergency Turn 28	
Pull Handle and Privacy Indicator Turn Knob 29	
Pull Handle and Dual Cylinder 30	
Disabled Turn Only 38	
Pull Handle and Disabled Turn 42	

Push and Pull Door Furniture

Pull Handles



ASSA ABLOY

All pull handles are designed for single handle application and can be used with Lockwood Pull Plates and Roses.

Features and Specifications

Fixing

Handles are concealed fixed. If ordered with Lockwood Pull Plates or Roses, handles are screw fixed to plates.

Materials

Brass and stainless steel.



Door Furniture and General Hardware

Limiting Dimensions

Handle Number	Length	Diameter	Projection	Fixing Centres	Finger Clearance
01	117	22	35	108	25
02	162	22	35	152	25
03	212	22	35	203	25

Limiting Dimensions

Handle Number	Length	Diameter	Projection	Fixing Centres	Finger Clearance	Brass	Stainless Steel
04	120	13	45	108	32	✓	×
05	124	16	48	108	32	✓	×
06	165	13	45	152	32	✓	×
07	168	16	48	152	32	✓	✓
08	219	16	48	203	32	✓	✓
09	222	19	54	203	35	✓	✓
10	269	19	54	250	35	✓	✓
16	127	19	54	108	35	×	✓
17	171	19	54	152	35	×	✓
18	222	19	54	203	35	×	✓
19	269	19	54	250	35	×	✓

Limiting Dimensions

Handle Number	Length	Diameter	Projection	Fixing Centres	Finger Clearance
38	248	16	Base: 54	152	38
			Top: 73		

Designed for single handle applications for hospitals, disabled and aged care facilities. Material -solid brass.

Push and Pull Door Furniture

Symphony Pull Handles

To complement our stylish Symphony Collection® of levers, a range of pull handles has been produced to further extend your choice of door hardware.

Application

Pull Handle Door Furniture for public, commercial, industrial and residential buildings.

Features and Specifications

Materials

Symphony pull handles are of all brass construction and are available in a range of metal and powdercoat finishes.

Fixing

Secure mounting is achieved via through-the-door fixing which is fully concealed. The pull handles are suitable for timber, aluminium and glass doors.

Door Thickness

Maximum door thickness is 50mm.
Glass door maximum thickness 12mm.

Finishes

Standard

Satin Chrome Brushed SC

Non Standard

Chrome Plate CP

Polished Brass PB

Polyester Powdercoat PC

Other finishes on application.





Glass Door External Half Set without Roses

150mm Centres A443X15


200mm Centres A443X20

300mm Centres A443X30





Timber/Aluminium Half Sets With Roses

	External	Internal
150mm Centres	A441X15	A442X15
200mm Centres	A441X20	A442X20
300mm Centres	A441X30	A442X30



Glass Door Full Sets

	With Roses	Without Roses
150mm Centres	A4420X15	A4440X15
200mm Centres	A4420X20	A4440X20
300mm Centres	A4420X30	A4440X30



Push and Pull Door Furniture

Lockwood Entrance Handles



ASSA ABLOY

Lockwood Entrance Handles are constructed using the finest materials to incorporate the maximum standards in style, durability, finish and design.

Style and Variety

Combining fit for purpose with the epitome of style, the Lockwood Entrance Handles range represents a comprehensive collection of high quality back to back handles.

Nine designs, ranging from classic to contemporary, have been selected to complement the evolving style requirements of both residential and commercial markets.


Stainless Steel Construction

Constructed of 304 grade stainless steel, Lockwood Entrance Handles are suitable for use in external environments.

Application

Lockwood Entrance Handles are suitable for use on timber or aluminium frame as well as glass doors; making them the ideal choice for commercial, industrial and residential applications.

Multi Fix - timber, aluminium or glass doors



Packaging For Various Doors

Each Lockwood Entrance Handle comes supplied with spigots to suit 10 – 12mm thick glass doors as well as aluminium and timber doors up to 50mm thick.

Standard Finish

Satin Stainless Steel

SSS



Push and Pull Door Furniture


Lockwood Entrance Handles

141

Dimensions:

	A	B1	B2	C	D	E
141X300SSS	300mm	22mm	40mm	45mm	450mm	25mm
141X450SSS	450mm	22mm	40mm	45mm	600mm	25mm
141X600SSS*	600mm	22mm	40mm	45mm	750mm	25mm

* Pictured




142

Dimensions:

	A	B	C	D	E
142X300SSS	300mm	32mm	45mm	450mm	25mm
142X450SSS	450mm	32mm	45mm	600mm	25mm
142X600SSS*	600mm	32mm	45mm	750mm	25mm

* Pictured




143

Dimensions:

	A	B1	B2	C	D
143X300SSS	300mm	30mm	15mm	35mm	315mm
143X450SSS	450mm	30mm	15mm	35mm	465mm
143X600SSS*	600mm	30mm	15mm	35mm	615mm

* Pictured



Push and Pull Door Furniture

Lockwood Entrance Handles




ASSA ABLOY

145

Dimensions:

	A	B	C	D	E
145X225SSS	225mm	25mm	45mm	300mm	19mm
145X375SSS	375mm	25mm	45mm	450mm	19mm
145X525SSS*	525mm	25mm	45mm	600mm	19mm

* Pictured




146

Dimensions:

	A	B	C	D	E	F
146X450SSS	450mm	25mm	60mm	475mm	60mm	25mm
146X600SSS*	600mm	25mm	60mm	625mm	60mm	25mm


* Pictured



147

Dimensions:

	A	B	C	D	E
147X450SSS	450mm	19mm	45mm	600mm	19mm





Push and Pull Door Furniture

Lockwood Entrance Handles

151

Dimensions:


	A	B	C	D	E
151X3000SSS	300mm	32mm	80mm	332mm	200mm



192

Dimensions:


	A	B	C	D
192X450SSS	450mm	32mm	85mm	482mm
192X600SSS	600mm	32mm	85mm	632mm



231

Dimensions:

	A	B	C	D	E
231X3000SSS	300mm	32mm	85mm	332mm	140mm



Push and Pull Door Furniture

Lockwood Entrance Handles Ordering Procedure

Ordering Procedure

Sample part number 141X300SSS is made up of several sections. Choose your product by selecting an option from each section.

For example:

Design	Centre to Centre	Finish
141	X 300	SSS

Design	Centre to Centre	Finish
141 Style	141	Satin Stainless Steel SSS
142 Style	142	
143 Style	143	
145 Style	145	
146 Style	146	
147 Style	147	
151 Style	151	
192 Style	192	
231 Style	231	

Centre to Centre	
300mm Centres	300
141, 142, 143, 151, 231	
400mm Centres	400
141, 142, 143, 146, 147, 192	
600mm Centres	600
141, 142, 143, 146, 192	
225mm Centres (145 Style Only)	225
375mm Centres (145 Style Only)	375
525mm Centres (145 Style Only)	525



Push and Pull Door Furniture


Flush Pulls

Features and Specifications


- Zinc alloy cast flush pulls
- Available in a range of three sizes and three finishes
- Display packed, complete with fixing screws




Product	Dimensions	Finishes	Packaging	Part Number
L609	85 x 30mm	Chrome Plate	Display pack	L609CPDP
		Polished Brass Plate	Display pack	L609PBPD
		Satin Chrome	Display pack	L609SCDP



Product	Dimensions	Finishes	Packaging	Part Number
L611	115 x 35mm	Chrome Plate	Display pack	L611CPDP
		Polished Brass Plate	Display pack	L611PBPD
		Satin Chrome	Display pack	L611SCDP



Product	Dimensions	Finishes	Packaging	Part Number
L610	145 x 40mm	Chrome Plate	Display pack	L610CPDP
		Polished Brass Plate	Display pack	L610PBPD
		Satin Chrome	Display pack	L610SCDP



Push and Pull Door Furniture Handles

Cast Brass Handle

- Cast brass handle, visible fixing
- Display packed, complete with fixing screws

Product	Length	Finishes	Packaging	Part Number
L9-150	150mm	Chrome Plate	Display pack	L9-150CPDP
		Satin Chrome	Display pack	L9-150SCDP



Extruded Brass Handle

- Extruded brass handle, concealed fixing
- Display packed, complete with fixing screws

Product	Finishes	Packaging	Part Number
L70	Satin Chrome	Display pack	L70SCDP



ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience



Lockwood is the leading brand in the Australian locking industry. With an established reputation for high quality products, this iconic brand provides a wide range of locking solutions to residential housing, commercial building and industrial application markets. Lockwood is supported by an extensive distribution and after-sales support network. Our customers include retailers, architects, trade and industrial personnel, locksmiths and security dealers.

ASSA ABLOY

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience.

ASSA ABLOY is represented in all major regions, in both mature and emerging markets, with leading positions in Australia, Europe and North America.

As the world's leading lock group, ASSA ABLOY offers a more complete product range of door opening solutions than any other company in the market.

Australia
1300 LOCK UP (1300 562 587)
lockweb.com.au

New Zealand
+64 9415 7111
assaabloy.co.nz

ASSA ABLOY Australia Pty Ltd
235 Huntingdale Road
Oakleigh, Victoria, 3166
Australia

info.au@assaabloy.com
assaabloy.com.au

ASSA ABLOY New Zealand Ltd
6 Armstrong Road
Albany, North Shore City, 0632
New Zealand

info.nz@assaabloy.com
assaabloy.co.nz

